

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE October 1995		3. REPORT TYPE AND DATES COVERED Professional Paper																															
4. TITLE AND SUBTITLE AN APPROXIMATE METHOD FOR MODELING VEGETATION EFFECTS OVER TERRAIN				5. FUNDING NUMBERS PR: MPB1 PE: 0602435N WU: DN302214																															
6. AUTHOR(S) A. E. Barrios																																			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Command, Control and Ocean Surveillance Center (NCCOSC) RDT&E Division San Diego, CA 92152-5001				8. PERFORMING ORGANIZATION REPORT NUMBER																															
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Naval Command, Control and Ocean Surveillance Center (NCCOSC) RDT&E Division San Diego, CA 92152-5001				10. SPONSORING/MONITORING AGENCY REPORT NUMBER																															
11. SUPPLEMENTARY NOTES																																			
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.				12b. DISTRIBUTION CODE F																															
13. ABSTRACT (Maximum 200 words) This paper describes a simple method implemented in a terrain split-step parabolic equation model (TPEM) that can model radiowave fields over terrain in which the ground is modified to approximate the vegetation.																																			
<div style="float: right;"> <table border="1"> <tr> <th colspan="3">Accession For</th> </tr> <tr> <td>NTIS</td> <td>CRA&I</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>DTIC</td> <td>TAB</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Unannounced</td> <td></td> <td><input type="checkbox"/></td> </tr> <tr> <td colspan="3">Justification</td> </tr> <tr> <td colspan="3">By _____</td> </tr> <tr> <td colspan="3">Distribution / _____</td> </tr> <tr> <th colspan="3">Availability Codes</th> </tr> <tr> <td>Dist</td> <td colspan="2">Avail and/or Special</td> </tr> <tr> <td>A-1</td> <td colspan="2"></td> </tr> </table> </div> <div style="clear: both;"></div>						Accession For			NTIS	CRA&I	<input checked="" type="checkbox"/>	DTIC	TAB	<input type="checkbox"/>	Unannounced		<input type="checkbox"/>	Justification			By _____			Distribution / _____			Availability Codes			Dist	Avail and/or Special		A-1		
Accession For																																			
NTIS	CRA&I	<input checked="" type="checkbox"/>																																	
DTIC	TAB	<input type="checkbox"/>																																	
Unannounced		<input type="checkbox"/>																																	
Justification																																			
By _____																																			
Distribution / _____																																			
Availability Codes																																			
Dist	Avail and/or Special																																		
A-1																																			
<div style="float: right;"> <table border="1"> <tr> <td colspan="2">15. NUMBER OF PAGES</td> </tr> <tr> <td colspan="2">16. PRICE CODE</td> </tr> </table> </div> <div style="clear: both;"></div>						15. NUMBER OF PAGES		16. PRICE CODE																											
15. NUMBER OF PAGES																																			
16. PRICE CODE																																			
<div style="float: right;"> <table border="1"> <tr> <td colspan="2">17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED</td> <td colspan="2">18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED</td> <td colspan="2">19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED</td> <td colspan="2">20. LIMITATION OF ABSTRACT SAME AS REPORT</td> </tr> </table> </div> <div style="clear: both;"></div>						17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		20. LIMITATION OF ABSTRACT SAME AS REPORT																							
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		20. LIMITATION OF ABSTRACT SAME AS REPORT																													

19951122 049

~~Published in Proceedings of URSI-National Radio Science Meeting, p. 65, January 3, 1995~~

14. SUBJECT TERMS
Terrain Split-Step Parabolic Equation Model (TPEM)
Ground Elevation
Terrain Path

DTIC QUALITY INSPECTED 1

UNCLASSIFIED

21a. NAME OF RESPONSIBLE INDIVIDUAL

A. E. Barrios

21b. TELEPHONE *(include Area Code)*

(619) 553-1429

21c. OFFICE SYMBOL

Code 543

AN APPROXIMATE METHOD FOR MODELING VEGETATION EFFECTS OVER TERRAIN

Amalia E. Barrios

Ocean and Atmospheric Sciences Division

NCCOSC RDTE DIV 543

53170 WOODWARD ROAD

SAN DIEGO CA 92152-7385

There are currently several models that have been validated that can model radiowave fields over terrain (R.J. Luebbers, *IEEE Ant. and Prop.*, 951-955, 1984, S. Ayasli, *IEEE Ant. and Prop.*, 1013-1023, 1986, A.E. Barrios, *IEEE Ant. and Prop.*, 90-98, 1994). While these models perform adequately when the terrain path is absent of any major vegetation such as trees and large brush, they fail to adequately account for the increased attenuation observed when vegetation is present.

A simple method, implemented in a terrain split-step parabolic equation model (TPEM), is presented in which the ground is modified to approximate the vegetation. The method consists of simply increasing the ground elevation by the height of the intervening trees or brush. This method is particularly useful when the topography of the terrain path is poorly described, in which case the ground elevation can then be adjusted by an average value along the entire path.

An example is shown below in which fields were measured over a 6 km long terrain path at a frequency of 910 MHz (K.A. Chamberlin, R.J. Luebbers, *IEEE Ant. and Prop.*, 1093-1098, 1982). Signals were measured under two conditions, one in which the terrain path was clear, and one in which a grove of trees blocked the propagation path.

